

Chrysler RAM PHEV Fleet - Phase 2

Overall AC electrical energy consumption (AC Wh/mi)¹

Overall DC electrical energy consumption (DC Wh/mi)²

Trips in Charge Depleting (CD) mode³

DC electrical energy consumption (DC Wh/mi)⁴

Overall DC electrical energy captured from regenerative braking (DC Wh/mi)

Number of vehicles: 8

All Trips Combined

Total number of trips

Total distance traveled (mi)

Gasoline fuel economy (mpg)

Reporting period: August 2014

Overall gasoline fuel economy (mpg)

All Fleets

Date range of data received: Number of vehicle days driven:

20

72

54

36

974

26

198

316

15%

2,451

22%

20

63

101

28%

1,260

11%


11,021

8/1/2014 to 8/31/2014


Gasoline Fuel Economy By Trip Type

182

Distance Traveled By Trip Type



Percent of Drive Time by Operating Mode



Notes: 1 - 9. Please see http://avt.inl.gov/pdf/phev/chryslerreportnotes.pdf for an explanation of all PHEV Fleet Testing Report notes. This document also includes all report changes to date.

The Chrysler RAM PHEV Fleet was designed as a demonstration program of customer duty cycles related to plug-in electric vehicles and may not necessarily demonstrate optimized fuel economy.

Vehicle fuel economy is based on customer usage and may not be representative of maximum potential fuel economy.

 Number of trips

 Percent of trips city | highway
 84%
 |

 Distance traveled (mi)
 2

 Percent of total distance traveled
 1

 Trips in both Charge Depleting & Charge Sustaining (CD/CS) modes⁵

 Gasoline fuel economy (mpg)
 1

 DC electrical energy consumption (DC Wh/mi)⁶
 1

 Number of trips
 71%

 Percent of trips city | highway
 71%

 Percent of total distance traveled CD | CS
 6%

 Trips in Charge Sustaining (CS) mode7


Trips in Charge Sustaining (CS) mode⁷

Gasoline fuel economy (mpg)	18
Number of trips	557
Percent of trips city highway	78% 21%
Distance traveled (mi)	6,635
Percent of total distance traveled	60%


VEHICLE TECHNOLOGIES PROGRAM

Trips in Charge Depleting (CD) mode	City	Highway
Gasoline fuel economy (mpg)	26	27
DC electrical energy consumption (DC Wh/mi)	214	165
Percent of miles with internal combustion engine off	13%	3%
Average trip Aggressiveness	5.3	3.6
Average trip distance (mi)	6	17
Trips in Charge Depleting and Charge Sustaining (CD/CS) mode		
Gasoline fuel economy (mpg)	20	22
DC electrical energy consumption (DC Wh/mi)	60	69
Percent of miles with internal combustion engine off	8%	3%
Average trip Aggressiveness	4.8	3.6
Average trip distance (mi)	17	25
Trips in Charge Sustaining (CS) mode		
Gasoline fuel economy (mpg)	17	20
Percent of miles with internal combustion engine off	8%	2%
Average trip Aggressiveness	5.3	3.3
Average trip distance (mi)	8	25

Effect of Driving Aggressiveness on Fuel Economy⁸




Trip Fuel Economy Distribution By Trip Type




VEHICLE TECHNOLOGIES PROGRAM


Plug-in charging				
Average number of charging events per vehicle per month when driven			20.38	
Average number of charging events per vehicle per day when driven			0.90	
Average distance driven between charging events (mi)			67.62	
Average number of trips between charging events			5.98	
Average time charging per charging event (hr)			1.51	
Average energy per charging event (AC kWh)			4.85	
Average charging energy per vehicle per month (AC kWh)			98.80	
Total number of charging events			163	
Number of charging events at Level 1 Level 2	34		129	
Total charging energy consumed (AC kWh)			790	
Charging energy consumed at Level 1 Level 2 (AC kWh)	128		662	
Percent of total charging energy from Level 1 Level 2	16%	1	84%	
Average time to charge from 20% to 100% SOC (hrs) Level 1 Level 2 ⁹	9.19	I	2.28	

Time of Day When Driving



Time of Day When Charging





10/8/2014 2:41:32 PM 3 of 3 INL/MIS-11-22875